



Sunrise Birding LLC
HONDURAS
Pico Bonito Special
January 19 – 24, 2014
TRIP REPORT

Photos & report by Frank Mantlik





Sunrise Birding LLC

HONDURAS

Pico Bonito Special!

January 19 - 24, 2014 TRIP REPORT

Leader: Frank Mantlik and a local guide

HIGHLIGHTS: (Rarities, specialties, or simply a group favorite):

- Honduran Emerald (globally endangered)
- Lovely Cotinga
- Keel-billed Motmot
- Keel-billed Toucan
- Violet Sabrewing
- King Vulture
- Great Potoo
- Boat-billed Heron
- Pale-billed Woodpecker
- Rufous-winged Tanager
- Mantled Howler Monkeys
- 162 Bird Species
- Black-throated Trogon
- Violet-crowned Woodnymph
- Hooded Warbler
- Bare-throated Tiger-Heron
- Wood Stork
- Black Hawk-Eagle
- Ferruginous Pygmy-Owl
- Laughing Falcon
- Barred Antshrike
- Altamira Oriole
- American Crocodile
- Fabulous lodging and meals

Day 1 - Arrival San Pedro Sula – Pico Bonito

Today was a travel day, with most people arriving on their flights to San Pedro Sula by early to mid-afternoon. The 2.5 hour van ride to Pico Bonito Lodge took us through extensive palm-oil plantations. Among the birds seen along the way (2 vans) were **White-tailed Kite**, **Roadside Hawk**, **Wood Storks**, **Cattle Egrets**, and **Black-necked Stilts**. Ron, Karen, and Liz were lucky to spot a male **Lovely Cotinga** in the gardens. In early evening, the group met for orientation and a scrumptious dinner.

Day 2 - Pico Bonito Lodge and grounds

After an early breakfast our local guide, Jose, led us on a morning walk in the Lodge gardens, which were alive with a wide variety of birds. First we enjoyed the many hummingbirds visiting feeders, including **Rufous-tailed Hummingbird**, **Violet-crowned Woodnymph**, and the huge flashy **Violet Sabrewing**. Among the other birds seen were **Golden-collared Tanagers**, **Brown Jays**, **Blue-crowned Motmot**, **Keel-billed Toucan**, **Clay-colored** and **White-throated Robins**, female **Green Honeycreeper**, **Ovenbird**, and **Chestnut-colored Woodpecker**. Among the species feeding at the trays of oil palm fruits were **Magnolia** and **Hooded Warblers**, **Gray Catbirds**, **Summer Tanager**, and **Central**



American Agouti, a large member of the rodent family. Then we had incredible scope views of a sleeping **Great Potoo** high up in a tree. Next we climbed the forested “Toucan Tower” overlooking the Rio Coloradito Valley and mountains. Here we saw two perched **White-crowned Parrots**, **Brown-hooded Parrots** flying, **Montezuma Oropendola**, a **Purple-crowned Fairy** feeding on Morning Glories, and Liz got us on a male **White-collared Manakin**.



Further along the trails, we found numerous species including close views (and photos) of a **Gartered Trogon**, **Slaty-tailed Trogon**, **Masked Tityra**, **Squirrel Cuckoo**, **Black-throated Green Warbler**, **Ochre-bellied Flycatcher**, **Red-throated Ant-Tanager**, **Yellow-winged Tanagers**, and **Great Kiskadee**. Recent rains gave way to dry skies today, resulting in a raptor bonanza, including a pair of soaring **White Hawks**, **Gray Hawk**, **Broad-winged Hawk**, **Black Hawk-Eagle**, and great views of a perched **Laughing Falcon**. A visit to the Butterfly Farm provided photos of the spectacular **Blue Morpho** and other butterflies. Some enjoyed the reptiles of the Lodge’s Serpenterium.

Before and after the delicious lunch, people had some personal time. Among the species seen at the lodge gardens and feeders by various participants were **Black-cheeked Woodpecker**, **Collared Aracari**, **Long-billed Hermit**, **Red-billed Pigeons**, **Social Flycatcher**, **Black-headed Saltators**, **Melodious Blackbirds**, **Chestnut-headed Oropendola**, **Variiegated Squirrels** and a **Brown Basilisk Lizard**. Four of us saw a species rare for Honduras - a **Rufous-winged Tanager** - only the third seen by Jose in 15 years.

During our afternoon walk on different trails, it was surprisingly quiet for some reason; perhaps the still, humid air caused birds to become inactive. Nevertheless we saw **Groove-billed Anis**, **Golden-fronted Woodpecker**, **Buff-throated Saltator**, **Paltry Tyrannulet**, and **American Redstart**. At dinner, the diverse gourmet menu pleased all appetites. The day’s bird list was recorded.

Day 3 - Cuero y Salado Refuge / Rio Santiago Lodge

Today we took a morning excursion, by van then small-gauge train, to the Cuero y Salado Wildlife Refuge. The train was a fun experience, and birding from it produced **Roadside Hawks**, **Groove-billed Anis**, **Ruddy Ground-Doves**, lots of **Cattle Egrets** and **Little Blue Herons**, **Orchard Oriole**, noisy **Brown Jays**, and fantastic views of a beautiful **Bare-throated Tiger-Heron** that Frank spotted atop a small tree. After registering at the Park office, a large skiff took us on an enjoyable boat ride through the mangrove forests of the Rio Salado. Noteworthy birds seen included families of



Northern Jacanas, Yellow-crowned Night-Herons, numerous **Boat-Billed Herons**, **Neotropic Cormorants**, a **Lesser Scaup**, **Red-lore Parrots**, **Belted**, and **Green Kingfishers**, **White-collared Swifts**, and several more **Bare-throated Tiger-Herons**. We also heard the distinctive double-rap drumming of a **Pale-billed Woodpecker**; Frank said it sounds very similar to that of the extinct Ivory-billed Woodpecker. Other animal highlights were two **Mantled Howler Monkeys**, a group of **Long-nosed Bats** roosting on a tree trunk, several **American Crocodiles**, a **Green Iguana**, and numerous flashy **Blue Morpho** butterflies. Upon returning to the dock, we spotted a male **Magnificent Frigatebird** soaring overhead. After a picnic of cold fresh fruit, we walked to a nearby Caribbean beach, where a **Whimbrel** (Thanks, Annie!), **Sanderlings**, **Spotted Sandpipers**, and **Brown Pelicans** were seen.

After a delightful lunch that included shrimp ceviche, some down time allowed us to explore the Lodge grounds or to simply relax. Most got better looks and photos of the resident birds. Some saw an **Olive-backed Euphonia** and a **Yellow-bellied Flycatcher**.

Then we regrouped for an afternoon excursion to the Rio Santiago Nature Resort, in hopes of finding some new species. The abundant tubular feeders attracted dozens of hummingbirds of at least ten species. New for us were **White-necked Jacobin**, **Brown Violetear**, **White-bellied Emerald**, **Band-tailed Barbthroat**, and **Scaly-breasted** and **Stripe-tailed Hummingbirds**. A **Pale-billed Woodpecker** delighted us as it foraged on a tree limb for some time. Then we walked some newly-installed forest trails. After some effort, Jose spotted our quarry: the elusive **Keel-billed Motmot!** It perched for long periods above us, allowing photo ops by many. Success! We returned to the van just as it began to rain. What an enjoyable and productive day!



Day 4 - Rio Aguan Valley

The birding group (minus Annie, who opted out) got a 4 am start for the long drive south around the coastal mountains to the tropical dry forest of the Rio Aguan Valley. Our quest today was the globally endangered **Honduran Emerald** hummingbird, the only endemic species in the country. During a picnic breakfast in Olanchito at first light, we saw **Tropical Kingbird**, **Yellow-throated Euphonia**, **White-winged Doves**, and **Blue-gray Tanagers**. In the center of town, statues of the endemic Honduran Emerald and Spiny-tailed Iguana (Jamo) mark the significance of the remaining tropical dry forest habitat of the region. Birding from the van, we stopped to view a pair of **White-fronted Parrots**. A river crossing produced a pair of **Amazon Kingfishers**, **Mangrove Swallows**, **Gray Hawk**, and **Crested Caracara**. Another stop netted a flock of **Olive-throated Parakeets**, a **Rose-breasted Grosbeak**, **American Kestrels**, and two brilliant male **Altamira Orioles**.

Upon arriving at a special reserve, we walked into the thorn-forest, navigating a large rain pool. Early on, we saw our first male **Honduran Emerald**. Through the morning we saw several others, perched as well as feeding on the small red flowers of the favored species of pencil cactus. It is not the most colorful species of hummer, but when the light was right, the male's blue gorget glistened. We also heard a couple of **Ferruginous Pygmy-Owls**, and saw many different species in this unique habitat, including **White-lored Gnatcatcher**, **White-bellied Wren**, and **Brown-crested Flycatcher**. We heard the loud calls of **Plain Chachalacas**, and saw one or two soaring **Great**



Black Hawks. Back out on the dirt road we saw **Inca Doves**, a streaming immature **Zone-tailed Hawk**, and a large flock of **White-collared Swifts**. Before departing, Frank spotted an adult **King Vulture** soaring among the many **Black** and **Turkey Vultures**. Following a delicious and varied home-cooked lunch, we made the long drive “home” to Pico Bonito in the afternoon.

Day 5 - Lancetilla Botanical Garden & Tela

After an early breakfast, we checked a few spots for the Cotinga, then drove to the Lancetilla Botanical Garden. This combination of forest and gardens has much edge habitat, and provides great birding opportunities. We slowly walked up the entrance road, as well as a side road. Birds seen included **White-collared** and **Variable Seedeaters**, **Chestnut-sided** and **Yellow Warblers**, **Northern Parula**, **Passerini's Tanagers**, **Streak-headed Woodcreeper**, **Short-tailed Hawk**, four soaring **Common Black Hawks**, and 7 **Wood Storks** soaring with the raptors. A real treat was watching the alarm behavior of a **Barred Antshrike**. We also saw a **Jamo Iguana** on a tree limb, and heard the calls of a **Little Tinamou** and a **Ruddy Crake**.



Around the Visitor Center we saw flocks of **Vaux's Swifts**, a **Wedge-billed Woodcreeper**, a juvenile **King Vulture**, **Boat-billed Flycatcher**, **Black-headed Saltator**, and **Squirrel Cuckoo**. A calling **Black Hawk-Eagle** soared over the canopy, providing good looks at this striking raptor. We then drove to the arboretum/garden walk, where we marveled at huge stands of Bamboo. Bob took a group photo in front of a large Mahogany tree. From here we had great views of a **Masked Tityra** and a **Turquoise-browed Motmot**. We sniffed the leaves of a Clove tree and the bark of a Cinnamon tree. Then Jose gathered us for superb views of a roosting **Ferruginous Pygmy-Owl**. Sooo cute! It eventually flew down to the ground to catch insect prey.

In nearby Tela, We had a fabulous outdoor seafood lunch on the Caribbean coast, while enjoying views of the turquoise sea and palm trees. Afterwards we saw a variety of shorebirds, gulls, **Brown Pelicans**, and numerous **Royal Terns** and **Sandwich Terns**. We were entertained by a young boy hawking his wares; Karen befriended him and shared her binos with him. After another great day of birding, we travelled back to the lodge. Frank, Ron and Karen heard a **Sunbittern** while watching the sunset from Toucan Tower. Our last dinner together concluded with reviewing the day's list.

Day 6 - Pico Bonito – San Pedro Sula

This was a travel day for many. But not before a post-breakfast stroll to the Toucan Tower resulted in 3 **Blue-crowned Chlorophonias** feeding on Cecropia fruits. Diane, Liz and Annie had great views of a pair of **Slaty-tailed Trogons**. Ron and Karen departed for their day trip to Cayos Cochinos. The group parted with fond farewells, and the van ride back to San Pedro Sula airport. All agreed it was a fabulous short getaway to the Neotropics. We'll be back!

Below: Costa Rica Group. Photo by Robert White.



Sunrise Birding LLC

PO Box 274, Cos Cob, CT 06807 USA 203 453-6724
<http://www.sunrisebirding.com> gina@sunrisebirding.com



Sunrise Birding LLC
www.sunrisebirding.com

HONDURAS

Pico Bonito Special!

SPECIES LIST

January 19 – 24, 2014



Leader: Frank Mantlik and local guide

A=Number of days seen out of 6. B=Maximum number per day (H = Heard)

| | SPECIES | Scientific Name | A | B |
|----|----------------------------|----------------------------------|---|-------------|
| 1 | Little Tinamou | <i>Crypturellus soui</i> | 1 | 1 H |
| 2 | Mallard | <i>Anas platyrhynchos</i> | 1 | 1 (exotic?) |
| 3 | Lesser Scaup | <i>Aythya affinis</i> | 1 | 1 |
| 4 | Plain Chachalaca | <i>Ortalis vetula</i> | 2 | 2 H |
| 5 | Wood Stork | <i>Mycteria americana</i> | 3 | 8 |
| 6 | Magnificent Frigatebird | <i>Fregata magnificens</i> | 2 | 2 |
| 7 | Neotropic Cormorant | <i>Phalacrocorax brasilianus</i> | 2 | 3 |
| 8 | Brown Pelican | <i>Pelecanus occidentalis</i> | 2 | 20 |
| 9 | Bare-throated Tiger-Heron | <i>Tigrisoma mexicanum</i> | 1 | 4 |
| 10 | Great Blue Heron | <i>Ardea herodias</i> | 1 | 1 |
| 11 | Great Egret | <i>Ardea alba</i> | 4 | 20 |
| 12 | Snowy Egret | <i>Egretta thula</i> | 3 | 30 |
| 13 | Little Blue Heron | <i>Egretta caerulea</i> | 1 | 20 |
| 14 | Cattle Egret | <i>Bubulcus ibis</i> | 4 | 210 |
| 15 | Green Heron | <i>Butorides virescens</i> | 1 | 3 |
| 16 | Yellow-crowned Night-Heron | <i>Nyctanassa violacea</i> | 1 | 3 |
| 17 | Boat-billed Heron | <i>Cochlearius cochlearius</i> | 1 | 6 |
| 18 | Black Vulture | <i>Coragyps atratus</i> | 6 | 400 |
| 19 | Turkey Vulture | <i>Cathartes aura</i> | 4 | 20 |
| 20 | King Vulture | <i>Sarcoramphus papa</i> | 2 | 1 |
| 21 | White-tailed Kite | <i>Elanus leucurus</i> | 1 | 1 |
| 22 | Black Hawk-Eagle | <i>Spizaetus tyrannus</i> | 2 | 1 |
| 23 | Common Black-Hawk | <i>Buteogallus anthracinus</i> | 1 | 4 |
| 24 | Great Black-Hawk | <i>Buteogallus urubitinga</i> | 1 | 1 |
| 25 | Roadside Hawk | <i>Rupornis magnirostris</i> | 3 | 5 |
| 26 | White Hawk | <i>Pseudastur albicollis</i> | 1 | 2 |

| | | | | |
|----|------------------------|---------------------------------|---|-----|
| 27 | Broad-winged Hawk | <i>Buteo platypterus</i> | 2 | 1 |
| 28 | Gray Hawk | <i>Buteo plagiatus</i> | 2 | 1 |
| 29 | Short-tailed Hawk | <i>Buteo brachyurus</i> | 1 | 1 |
| 30 | Zone-tailed Hawk | <i>Buteo albonotatus</i> | 1 | 1 |
| 31 | Sunbittern | <i>Eurypyga helias</i> | 1 | 1 H |
| 32 | Ruddy Crake | <i>Laterallus ruber</i> | 1 | 1 H |
| 33 | Purple Gallinule | <i>Porphyrio martinicus</i> | 1 | 1 |
| 34 | Black-necked Stilt | <i>Himantopus mexicanus</i> | 1 | 15 |
| 35 | Northern Jacana | <i>Jacana spinosa</i> | 2 | 17 |
| 36 | Spotted Sandpiper | <i>Actitis macularius</i> | 2 | 2 |
| 37 | Willet | <i>Tringa semipalmata</i> | 1 | 1 |
| 38 | Lesser Yellowlegs | <i>Tringa flavipes</i> | 1 | 20 |
| 39 | Whimbrel | <i>Numenius phaeopus</i> | 1 | 1 |
| 40 | Sanderling | <i>Calidris alba</i> | 1 | 12 |
| 41 | Laughing Gull | <i>Leucophaeus atricilla</i> | 1 | 30 |
| 42 | Royal Tern | <i>Thalasseus maximus</i> | 1 | 50 |
| 43 | Sandwich Tern | <i>Thalasseus sandvicensis</i> | 1 | 5 |
| 44 | Rock Pigeon | <i>Columba livia</i> | 4 | 20 |
| 45 | Red-billed Pigeon | <i>Patagioenas flavirostris</i> | 3 | 12 |
| 46 | White-winged Dove | <i>Zenaida asiatica</i> | 3 | 30 |
| 47 | Inca Dove | <i>Columbina inca</i> | 2 | 4 |
| 48 | Common Ground-Dove | <i>Columbina passerina</i> | 2 | 2 |
| 49 | Ruddy Ground-Dove | <i>Columbina talpacoti</i> | 2 | 7 |
| 50 | White-tipped Dove | <i>Leptotila verreauxi</i> | 1 | 2 |
| 51 | Squirrel Cuckoo | <i>Piaya cayana</i> | 3 | 2 |
| 52 | Groove-billed Ani | <i>Crotophaga sulcirostris</i> | 5 | 35 |
| 53 | Ferruginous Pygmy-Owl | <i>Glauclidium brasilianum</i> | 2 | 3 |
| 54 | Mottled Owl | <i>Ciccaba virgata</i> | 4 | 1 H |
| 55 | Great Potoo | <i>Nyctibius grandis</i> | 4 | 1 |
| 56 | White-collared Swift | <i>Streptoprocne zonaris</i> | 4 | 30 |
| 57 | Vaux's Swift | <i>Chaetura vauxi</i> | 3 | 20 |
| 58 | White-necked Jacobin | <i>Florisuga mellivora</i> | 2 | 4 |
| 59 | Band-tailed Barbthroat | <i>Threnetes ruckeri</i> | 1 | 1 |
| 60 | Long-billed Hermit | <i>Phaethornis longirostris</i> | 3 | 6 |
| 61 | Stripe-throated Hermit | <i>Phaethornis striigularis</i> | 3 | 2 |
| 62 | Brown Violetear | <i>Colibri delphinae</i> | 1 | 1 |
| 63 | Purple-crowned Fairy | <i>Heliophryx barroti</i> | 1 | 1 |

| | | | | |
|-----|-----------------------------|-----------------------------------|---|-----|
| 64 | Scaly-breasted Hummingbird | <i>Phaeochroa cuvieri</i> | 1 | 1 |
| 65 | Violet Sabrewing | <i>Campylopterus hemileucurus</i> | 3 | 10 |
| 66 | (Violet) Crowned Woodnymph | <i>Thalurania colombica</i> | 3 | 12 |
| 67 | Stripe-tailed Hummingbird | <i>Eupherusa eximia</i> | 1 | 1 |
| 68 | White-bellied Emerald | <i>Amazilia candida</i> | 1 | 2 |
| 69 | Honduran Emerald E | <i>Amazilia luciae</i> | 1 | 5 |
| 70 | Rufous-tailed Hummingbird | <i>Amazilia tzacatl</i> | 4 | 20 |
| 71 | Slaty-tailed Trogon | <i>Trogon massena</i> | 2 | 1 |
| 72 | Black-headed Trogon | <i>Trogon melanocephalus</i> | 4 | 3 |
| 73 | Gartered Trogon | <i>Trogon caligatus</i> | 2 | 1 |
| 74 | Blue-crowned Motmot | <i>Momotus coeruliceps</i> | 2 | 1 |
| 75 | Keel-billed Motmot | <i>Electron carinatum</i> | 1 | 1 |
| 76 | Turquoise-browed Motmot | <i>Eumomota superciliosa</i> | 1 | 1 |
| 77 | Belted Kingfisher | <i>Megaceryle alcyon</i> | 1 | 1 |
| 78 | Amazon Kingfisher | <i>Chloroceryle amazona</i> | 2 | 3 |
| 79 | Green Kingfisher | <i>Chloroceryle americana</i> | 1 | 1 |
| 80 | Collared Aracari | <i>Pteroglossus torquatus</i> | 5 | 6 |
| 81 | Keel-billed Toucan | <i>Ramphastos sulfuratus</i> | 5 | 6 |
| 82 | Black-cheeked Woodpecker | <i>Melanerpes pucherani</i> | 3 | 4 |
| 83 | Golden-fronted Woodpecker | <i>Melanerpes aurifrons</i> | 4 | 4 |
| 84 | Chestnut-colored Woodpecker | <i>Celeus castaneus</i> | 2 | 2 |
| 85 | Pale-billed Woodpecker | <i>Campephilus guatemalensis</i> | 1 | 2 |
| 86 | Barred Forest-Falcon | <i>Micrastur ruficollis</i> | 1 | 1 H |
| 87 | Crested Caracara | <i>Caracara cheriway</i> | 3 | 2 |
| 88 | Laughing Falcon | <i>Herpetotheres cachinnans</i> | 1 | 1 |
| 89 | American Kestrel | <i>Falco sparverius</i> | 1 | 7 |
| 90 | Olive-throated Parakeet | <i>Aratinga nana</i> | 4 | 12 |
| 91 | Brown-hooded Parrot | <i>Pyrilla haematotis</i> | 2 | 14 |
| 92 | White-crowned Parrot | <i>Pionus senilis</i> | 1 | 6 |
| 93 | Red-lored Parrot | <i>Amazona autumnalis</i> | 1 | 2 |
| 94 | White-fronted Parrot | <i>Amazona albifrons</i> | 1 | 2 |
| 95 | Great Antshrike | <i>Tarabar major</i> | 1 | 1 H |
| 96 | Barred Antshrike | <i>Thamnophilus doliatus</i> | 1 | 1 |
| 97 | Wedge-billed Woodcreeper | <i>Glyphorynchus spirurus</i> | 1 | 2 |
| 98 | Streak-headed Woodcreeper | <i>Lepidocolaptes souleyetii</i> | 1 | 1 |
| 99 | Ochre-bellied Flycatcher | <i>Mionectes oleagineus</i> | 2 | 1 |
| 100 | Paltry Tyrannulet | <i>Zimmerius vilissimus</i> | 1 | 1 |

| | | | | |
|-----|------------------------------|-----------------------------------|---|----|
| 101 | Yellow-bellied Flycatcher | <i>Empidonax flaviventris</i> | 3 | 1 |
| 102 | Black Phoebe | <i>Sayornis nigricans</i> | 2 | 1 |
| 103 | Dusky-capped Flycatcher | <i>Myiarchus tuberculifer</i> | 1 | 1 |
| 104 | Great Crested Flycatcher | <i>Myiarchus crinitus</i> | 1 | 1 |
| 105 | Brown-crested Flycatcher | <i>Myiarchus tyrannulus</i> | 1 | 2 |
| 106 | Great Kiskadee | <i>Pitangus sulphuratus</i> | 5 | 3 |
| 107 | Boat-billed Flycatcher | <i>Megarhynchus pitangua</i> | 2 | 1 |
| 108 | Social Flycatcher | <i>Myiozetetes similis</i> | 3 | 4 |
| 109 | Tropical Kingbird | <i>Tyrannus melancholicus</i> | 3 | 5 |
| 110 | Lovely Cotinga | <i>Cotinga amabilis</i> | 2 | 1 |
| 111 | Red-capped Manakin | <i>Ceratopipra mentalis</i> | 1 | 1 |
| 112 | White-collared Manakin | <i>Manacus candei</i> | 2 | 2 |
| 113 | Masked Tityra | <i>Tityra semifasciata</i> | 2 | 2 |
| 114 | Philadelphia Vireo | <i>Vireo philadelphicus</i> | 1 | 1 |
| 115 | Brown Jay | <i>Psilorhinus morio</i> | 6 | 30 |
| 116 | Mangrove Swallow | <i>Tachycineta albilinea</i> | 1 | 6 |
| 117 | Barn Swallow | <i>Hirundo rustica</i> | 2 | 6 |
| 118 | White-bellied Wren | <i>Uropsila leucogastra</i> | 1 | 3 |
| 119 | White-lored Gnatcatcher | <i>Polioptila albiloris</i> | 1 | 2 |
| 120 | Wood Thrush | <i>Hylocichla mustelina</i> | 3 | 6 |
| 121 | Clay-colored Thrush | <i>Turdus grayi</i> | 6 | 20 |
| 122 | White-throated Thrush | <i>Turdus assimilis</i> | 2 | 11 |
| 123 | Gray Catbird | <i>Dumetella carolinensis</i> | 5 | 10 |
| 124 | Ovenbird | <i>Seiurus aurocapilla</i> | 2 | 1 |
| 125 | Black-and-white Warbler | <i>Mniotilta varia</i> | 3 | 1 |
| 126 | Hooded Warbler | <i>Setophaga citrina</i> | 3 | 1 |
| 127 | American Redstart | <i>Setophaga ruticilla</i> | 3 | 3 |
| 128 | Northern Parula | <i>Setophaga americana</i> | 1 | 1 |
| 129 | Magnolia Warbler | <i>Setophaga magnolia</i> | 4 | 6 |
| 130 | Yellow Warbler | <i>Setophaga petechia</i> | 3 | 2 |
| 131 | Chestnut-sided Warbler | <i>Setophaga pensylvanica</i> | 1 | 2 |
| 132 | Black-throated Blue Warbler | <i>Setophaga caerulescens</i> | 1 | 1 |
| 133 | Yellow-rumped Warbler | <i>Setophaga coronata</i> | 1 | 1 |
| 134 | Black-throated Green Warbler | <i>Setophaga virens</i> | 1 | 2 |
| 135 | Crimson-collared Tanager | <i>Ramphocelus sanguinolentus</i> | 1 | 2 |
| 136 | Passerini's Tanager | <i>Ramphocelus passerinii</i> | 1 | 3 |
| 137 | Blue-gray Tanager | <i>Thraupis episcopus</i> | 2 | 2 |

| | | | | |
|-----|----------------------------|---------------------------------|---|-----|
| 138 | Yellow-winged Tanager | <i>Thraupis abbas</i> | 2 | 8 |
| 139 | Golden-hooded Tanager | <i>Tangara larvata</i> | 3 | 6 |
| 140 | Rufous-winged Tanager | <i>Tangara lavinia</i> | 1 | 1 |
| 141 | Shining Honeycreeper | <i>Cyanerpes lucidus</i> | 1 | 1 |
| 142 | Green Honeycreeper | <i>Chlorophanes spiza</i> | 1 | 3 |
| 143 | Variable Seedeater | <i>Sporophila corvina</i> | 1 | 2 |
| 144 | White-collared Seedeater | <i>Sporophila torqueola</i> | 2 | 20 |
| 145 | Buff-throated Saltator | <i>Saltator maximus</i> | 3 | 1 |
| 146 | Black-headed Saltator | <i>Saltator atriceps</i> | 2 | 1 |
| 147 | Orange-billed Sparrow | <i>Arremon aurantirostris</i> | 1 | 1 H |
| 148 | Summer Tanager | <i>Piranga rubra</i> | 5 | 2 |
| 149 | Red-throated Ant-Tanager | <i>Habia fuscicauda</i> | 1 | 1 |
| 150 | Rose-breasted Grosbeak | <i>Pheucticus ludovicianus</i> | 2 | 1 |
| 151 | Melodious Blackbird | <i>Dives dives</i> | 3 | 2 |
| 152 | Great-tailed Grackle | <i>Quiscalus mexicanus</i> | 6 | 300 |
| 153 | Bronzed Cowbird | <i>Molothrus aeneus</i> | 1 | 1 |
| 154 | Orchard Oriole | <i>Icterus spurius</i> | 1 | 1 |
| 155 | Altamira Oriole | <i>Icterus gularis</i> | 2 | 2 |
| 156 | Baltimore Oriole | <i>Icterus galbula</i> | 2 | 2 |
| 157 | Chestnut-headed Oropendola | <i>Psarocolius wagleri</i> | 3 | 7 |
| 158 | Montezuma Oropendola | <i>Psarocolius montezuma</i> | 5 | 10 |
| 159 | Yellow-throated Euphonia | <i>Euphonia hirundinacea</i> | 1 | 1 |
| 160 | Olive-backed Euphonia | <i>Euphonia gouldi</i> | 3 | 2 |
| 161 | Blue-crowned Chlorophonia | <i>Chlorophonia occipitalis</i> | 1 | 3 |
| 162 | House Sparrow | <i>Passer domesticus</i> | 1 | 2 |

| | OTHER ANIMAL SPECIES | <i>Scientific Name</i> | | |
|---|------------------------------------------|--------------------------------|---|----|
| 1 | Central American Agouti | <i>Dasyprocta punctata</i> | 6 | 8 |
| 2 | Variiegated Squirrel | <i>Sciurus variegatoides</i> | 5 | 3 |
| 3 | Mantled Howler Monkey | <i>Alouatta palliata</i> | 1 | 3 |
| 4 | Raccoon | <i>Procyon lotor</i> | 1 | 1 |
| 5 | Long-nosed Bat | <i>Leptonycteris, sp.</i> | 1 | 12 |
| 6 | Brown Basilisk Lizard | <i>Basiliscus, sp.</i> | 3 | 2 |
| 7 | (Central) American Crocodile | <i>Crocodylus acutus</i> | 1 | 4 |
| 8 | Black-chested Spiny-tailed Iguana (Jamo) | <i>Ctenosaura melanosterna</i> | 1 | 1 |

| | | | | |
|--------------------|--------------------|--------------------------|---|---|
| 9 | Green Iguana | <i>Iguana iguana</i> | 1 | 1 |
| 10 | Turtle, sp. | | 1 | 1 |
| BUTTERFLIES | | | | |
| 1 | Common Blue Morpho | <i>Morpho helenor</i> | | |
| 2 | Brownish Cracker | <i>Hamadryas ipthime</i> | | |



Sunrise Birding, LLC

PO Box 274

Cos Cob, CT 06807

USA +203 453-6724

<http://www.sunrisebirding.com>

gina@sunrisebirding.com